

mbar / proposed porch

B001 Buy list / standard stock totals

Grouped by nominal cross-section and purchasable length. Quantities are backed by the stock allocation in the cut list.

STANDARD STOCK / PRODUCT	LENGTH / SIZE	PIECES TO BUY
1 3/4 x 9 1/2 LVL (exterior product TBD)	12' 0"	6
1 3/4 x 9 1/2 LVL (exterior product TBD)	16' 0"	4
1x10 white fascia (actual 3/4 x 9 1/4)	16' 0"	2
1x8 riser (actual 3/4 x 7 1/4)	8' 0"	2
2x8 framing (actual 1 1/2 x 7 1/4)	8' 0"	21
2x8 framing (actual 1 1/2 x 7 1/4)	10' 0"	6
2x8 framing (actual 1 1/2 x 7 1/4)	12' 0"	14
2x8 framing (actual 1 1/2 x 7 1/4)	14' 0"	9
5/4x6 decking (actual 1 x 5 1/2)	10' 0"	13
5/4x6 decking (actual 1 x 5 1/2)	12' 0"	10
5/4x6 decking (actual 1 x 5 1/2)	14' 0"	25
5/4x8 decking (actual 1 x 7 1/4)	8' 0"	2
6x6 post (actual 5 1/2 square)	8' 0"	4
6x6 post (actual 5 1/2 square)	10' 0"	4
3/4-inch plywood roof substrate / exterior system grade TBD	4' x 8' sheets	8

Counts include the cut allocation below, not a blanket waste percentage. Extra contingency stock is not included.
Decking designation assumes finished 1 x 5 1/2-inch stock; confirm species/product and available supplier lengths.

mbar / proposed porch

B002 Takeoff assumptions and unresolved items

This is a stock purchasing estimate, not a structural design or fabrication release.

Linear stock: 8, 10, 12, 14, 16, 18 and 20-foot candidate lengths; supplier availability must be confirmed.

Each stick allows 1/4 inch total end trim plus 1/8 inch kerf for every allocated cut. Compatible offcuts are reused.

Grouping preserves product class: decking, framing, posts, LVL, risers and white fascia are not interchangeable.

Ripped pieces are charged to a parent board at least as wide and thick as the modeled part.

Bridge intermediate tread: two 5/4x8 boards ripped to 6 inches each. This proposed seam needs support review.

Plywood: actual 4x8 parent-sheet allocations, with 1/8-inch separating kerfs; long grain direction retained.

P105 sheet IDs are installed cuts from 4x8 blanks; P106 shows edge backing. Bay backing uses fitted-end allowances.

STAIR STRINGERS EXCLUDED: modeled outlines exceed a 2x12 blank; see computed depths on the exception sheet.

A 2x12 is only 11 1/4 inches deep. Resolve redesigned or approved special-member stringers before buying.

Exterior LVL product, species, grade, treatment, fasteners, hangers, anchors and post bases remain unselected.

Coating, flashings, gutters, doors, screens, electrical, footings and masonry are outside these stock totals.

F1 floor is the baseline decking allowance; finish-selector alternatives require a revised material takeoff.

Verify dimensions and approved structural/roof details before buying. No silent substitute or field splice.